

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	445	(418/91).CCLS.	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:38
S2	440	(418/49-53).CCLS.	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:39
S3	13	S2 and wav\$2	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 15:39
S4	40	(418/103).CCLS.	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:46
S5	305	(418/131).CCLS.	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:47
S6	322	(418/217,219).CCLS.	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:55
S7	2332	(shaft with "rotating sleeve" or "sleeve rotates") same bearing	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 17:28
S8	1386	(shaft with ("rotating sleeve" or "sleeve rotates")) same bearing	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 17:28
S9	19	"418".clas. and S8	US-FCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 17:29

S10	239364	("74").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/22 12:05
S11	185	S10 and "rotary pump" and bearing and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:05
S12	0	("594.1-594.7").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/22 12:19
S13	2737	(74/594.1-594.7). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/22 12:20
S14	153	S13 and tool	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:20
S15	72	S13 and (tool same assembl\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:20
S16	18	S13 and (tool same assembl\$4) and ((without or "no" or "not") with tool) or toolless or tooless or "tool-less")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:24
S17	106	"418".clas. and (bearings with shaft) and (bearing with axial with plane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:54
S18	1	"418".clas. and (bearings with shaft) and (bearings near5 axial adj plane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:55
S19	13	"418".clas. and (bearings with shaft) and (bearings near5 axial near3 plane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:55

2/16/2009 2:29:10 PM

C:\Documents and Settings\dduff\My Documents\EAST\Workspaces\10597044.wsp